

TERRAIN SCULPTOR PRO User Manual

Terrain Sculptor Pro (TS Pro) is a utility to assist you in creating and editing Microsoft Flight Simulator® and Lockheed Martin Prepar3D® (collectively “FlightSim”) terrain around your airport (or anywhere else) representative of the real world – including creating undulations therein. While other more-general-purpose tools, such as sBuilder and ADE also do some of this, Terrain Sculptor Pro’s user interface is tailored to these specific functions and much of the “grunt-work” required by those other tools is not necessary with TS Pro. Instead of requiring you to draw every sloped poly individually, TS Pro allows you to place a single node where the polys will intersect and to specify the elevation of this point. And, instead of hand-crafting individual blending triangles to mate with the existing mesh, Terrain Sculptor slews the user aircraft along a boundary you specify (with a few points), recording the mesh elevation and automatically creating the necessary blend triangles.

Terrain Sculptor Pro can operate stand-alone and create terrain files from scratch, or it can import terrain files in sBuilder .sbx file format or FlightSim .bgl format. An interface with ADE is planned. Terrain Sculptor Pro compiles directly for all versions of FlightSim, including automatic clipping. Thus, sculpted terrain files initially imported from either version of sBuilder or from .bgls may be exported to any FlightSim version. (FSX and P3D require shp2vec.exe from the SDK be installed on your computer since Microsoft’s licensing terms do not permit it to be incorporated.).

Terrain Sculptor Pro incorporates (with permission):

- Patrick Germain’s CVX Extractor.exe, by, and
- Winfried Orthmann’s xml2shp.exe.

References to “sBuilder” in this manual are intended to mean both sBuilder and sBuilderX.

Installing, Executing and Uninstalling TERRAIN SCULPTOR PRO

Installation - To install Terrain Sculptor Pro, simply copy all the files from the downloaded archive into a folder of your choice which will be referred to as your Terrain Sculptor Pro folder.

Terrain Sculptor Pro does not affect the system registry.

Terrain Sculptor Pro is a Microsoft NET.Framework 4.5 application. CVX Extractor is a NET.Framework 4.5 application. If NET.Framework 4.5 or later is not already installed on your computer, the “redistributable” can be downloaded from the Microsoft website at no charge.

Terrain Sculptor Pro communicates with FlightSim via FSUIPC (FS9, FSX and P3D) or SimConnect (FSX and P3D). SimConnect is an integral part of FSX and P3D. For FS9, FSUIPC is necessary. Of course, communication via FSUIPC requires that FSUIPC be installed on your system. If you do not have FSUIPC or, in the case of P3D, the correct version of FSUIPC, you may download it from <http://www.schiratti.com/dowson.html>.

Execution - To execute Terrain Sculptor Pro, double-click on TS Pro.exe.

Users of Vista and later versions of Windows usually must have and, depending on circumstances, others may require, administrator privileges when running Terrain Sculptor Pro. If you do not have administrator privileges, you may not be able to access/write the necessary files. To run Terrain Sculptor Pro with administrator privileges, right-click *Terrain Sculptor*

Pro.exe, select "Run As ..." and then "administrator". Such issues can sometimes be avoided by installing Terrain Sculptor Pro on other than the C: drive.

Windows 7 users may wish to run Terrain Sculptor Pro in the XP compatibility mode. Running it otherwise results in a "this program may not have installed correctly" message when Terrain Sculptor Pro is shut-down. Despite the error message, there is no known problem - other than the annoyance factor.

Initialization - When you shut-down Terrain Sculptor Pro for the first time, an additional file, *TS.ini*, will be created and saved to the Terrain Sculptor Pro folder. Terrain Sculptor Pro "remembers" key settings from one session to the next. Those settings are in *TS Pro.ini*. The next time Terrain Sculptor Pro is run, the settings are preselected based on this file.

Automatic Updates - Whenever Terrain Sculptor Pro is started, it checks the support server to determine if a more recent release is available. If so, it will download that release with your consent. The updated release must be manually installed in the normal manner. Unless there are special instructions, just copy the new files into your Terrain Sculptor Pro folder, overwriting their pre-existing counterparts.

If you decline an update, you will be asked if you wish to be advised of future updates. If you decline, the "Check for Updates at Startup" item in the Options menu file will be unchecked. To reinstate automatic update checking, check this menu item.

Un-Installation - To uninstall Terrain Sculptor Pro, just delete the Terrain Sculptor Pro folder and all its contents.

The Data Display Area

Shown below is Terrain Sculptor Pro's Main Panel. The display area, which occupies the bulk of the dialog, shows a finished terrain file for my CYYJ, originally imported from sBuilderX with which it was created several years ago. In that area you see:

- triangles – *blend* nodes, named so because they outline where the contoured area is to blend with the existing mesh
- crosses – *sculpt* nodes, i.e. elevation points; you may specify as many as you like and in whatever configuration you prefer
- nodes – which may form polygons or lines for a multitude of purposes. Depending on the select terrain type, polygons may represent (contoured) flattens or landclass – or holes in same; lines may represent open terrain contours, roads, shorelines, etc.

As you will later see, open contours are generally used to limit/block the effects of adjacent slopes in places where a series of sculpt nodes may not provide satisfactory results.


When you place the cursor over any displayed element, if Show Tooltips in the Options menu is checked, a tooltip showing the data associated with that node is displayed.

Near the bottom of the data display area are two text strings:

- Cursor Posn – showing the geographic position of the mouse cursor "hot-spot", and
- Displayed Area – showing the size of the data display area at the current zoom level.

If any version of Flightsim is running, the user aircraft will be shown as a cross when it is within the display area.

The display area includes both a foreground and a background. All TS Pro data manipulations are conducted in the foreground. You may call for reference data to be loaded into the background, for example, stock road data if you are laying out or tweaking the position of roads. Data may be copied from the background to the foreground. You may also call for an airport diagram to be loaded into the background. All background data will all be displayed in a medium-grey color.



Terrain Sculptor Pro's Main Panel

Main Panel Controls

All other Terrain Sculptor Pro operations are initiated from the Main Panel menu bar or from a context menu shown following a right-click with the cursor anywhere in the display area.

Across the top of the Main Panel is a menu bar containing five items:

- Files – creating, opening, importing and exporting data files and for importing background files
- View – selecting the data elements to be displayed
- Mode – selecting the type(s) of terrain available for editing purposes
- Nodes –on data and related *profiles* (discussed later)
- Options – selection of options and display formats, and
- Help – version information and on-line access to this user manual.

Above the data display to the right are two combo boxes. The first, Terrain .Cfg, permits selection of an alternate *terrain.cfg* file from any installed version of Flightsim - permitting use of add-on terrain types. (Terrain Sculptor Pro includes the updated stock FSX *terrain.cfg*.) The other, Terrain Type, selects the terrain type to be used for any nodes subsequently placed and, optionally, any nodes currently selected.) To the right of the Terrain Type combobox is the Inc.

Non-Stock Items checkbox. When checked, any add-on terrain types included in the selected *terrain.cfg* file are available for editing purposes.

When Flightsim is running, Terrain Sculptor Pro reports the ground elevation under the user aircraft near the upper-right corner of the Main Panel.

The Zoom controls are located in the upper right corner of the Main Panel. Left-clicking these buttons will increase or decrease the geographic area displayed by 10%. If you depress and hold-down the left mouse button, the displayed area will continue to increase or decrease for so long as the mouse button is held down. You may also zoom the display from the mouse-wheel with a 10% change per click. Scroll bars are displayed as necessary.

To change the center location of the display, depress the mouse-wheel with the cursor positioned anywhere in the display area and move the mouse. The display will follow. Or, re-center the display to the aircraft position or to a specific latitude and longitude using the Nodes / Re-Center Display ... menu items

When Flightsim is running (connection from Terrain Sculptor Pro will be automatic), you may slew the user aircraft using either the Main Panel Slew controls or by moving the cursor over the aircraft symbol on the display, depressing the left mouse button and dragging the symbol (and the user aircraft) to the desired position. Normally, Flightsim will be paused following any slew operation. You may override this by checking the No Pause After Slew box.

Undo and Redo buttons are below the slew controls. (Ctrl-Z and Ctrl-Y may also be used.) If you delete or add back a node near the edge of the display, the data may re-center. Not all operations can be undone/redone.

Files Menu

The files menu is used to start new projects and load and save project files. Many of the items in this menu are associated with a listbox that displays the names of the files recently selected for the corresponding function. To reselect one of those files, simply click on its name. To select a new file, click on the menu item and navigate to the file of interest.

The Files menu contains the following items:

- **New Project** – Clears any existing data and opens a second dialog that allows you to specify a name of the new project and enter a geographic center position. The position may be entered directly or you may click the Get Airport Position button and specify a .bgl file containing the airport of interest. The airport's ARP will be used as the center position. A benefit to selecting an airport is that, following clicking the Start Project button on the second dialog, a diagram of the airport layout will be displayed in the background
- **Open Project** – Loads a previously-saved project (.tsd file) into the foreground
- **Append to Project** – Adds data from another file to the project
- **Import .bgl as Project** – Loads the data from a FS9 or FSX/P3D .terrain .bgl into the foreground.
- **Import .sbx as Project** - Loads the data from a sBuilder or sBuilderX .sbx file into the foreground.
- **Save Project** – Saves the current project as a .tsd file
- **Save Project as ...** - Saves the current project as a .tsd file to be named

- Update Terrain.cfg File(s) – Appearing only when custom terrains exist, this menu item adds any custom terrains to the bottom of Flightsim terrain.cfg files (see Custom Terrain below in this section). If you have more than one version of Flightsim installed, you will have the option of selecting the versions to be updated.
- Export to FS9 – Compiles the current project data into FS9 TDF- and/or LWM-formatted .bgl file(s), as applicable
- Export to FSX/P3D – Compiles the current project data into a FSX/P3D CVX-formatted .bgl file
- Load .bgl as Background – Loads the data from a FS9 or FSX/P3D .terrain .bgl into the background.
- Load .sbx as Background - Loads the data from sBuilder or sBuilderX .sbx file into the background.
- Add Airport to Background – Draws an outline of the selected airport in the background. If the specified file contains more than one airport, you will be asked to select the one of interest.
- Delete Background – deletes all the background data

Custom Terrain – As discussed under Editing List Parameters and Individual Nodes, TS Pro can create and use custom terrains. They are held in a file named “Terrain_Custom.cfg” (in the main TS Pro folder) in the same format as Flightsim’s Terrain.cfg. Custom terrains do not appear in the Main Panel Terrain Type combobox. They may only be assigned using the Node Editor.

Elements using custom terrains will not be visible in Flightsim until the relevant Flightsim terrain.cfg file(s) have been updated. Since updating the file can be a rather complex operation and an erroneous update can affect overall Flightsim operation, TS Pro has automated the process

View Menu

The View Menu, as the name suggests, controls what is seen in the display area at any time. None of the operations affect the foreground data. Polygons may be displayed either filled or just as an outline.

Mode Menu

The Mode Menu, control what type(s) of elements may be manipulated in the foreground. The contents of the Terrain Type combobox is limited to the types of terrain enabled in the Mode Menu.

Nodes Menu

The Nodes Menu contains the controls associated with blend profile generation and triangulation as well as a few other miscellaneous controls.

- AutoBlend – Creates a set of blend points around your project at a distance and at interval you specify and triangulates the area. Useful for testing the requirements for a blend outline.
- Profile Blend Outline – Slews the user aircraft around the set of blend points, recording ground elevation at intervals you specify and inserting new profile nodes when elevation changes by an amount greater then the one you specify.
- Triangulate – Triangulates the flattens of your project.

- Clear Triangulation – Restores the display to pre-triangulation state.
- Check Elevation Differences – Generates a list of locations where the elevations of two or more closely spaced flatten and sculpt nodes differs by more than a specified amount.
- Locate Elevation Differences – Selects closely spaced flatten and sculpt nodes whose elevations differ by more than a specified amount.
- Load Blend Points – Loads a set of blend points (.tsb file) Like several of the Files menu functions, this item is associated with a listbox holding recently-used files.
- Save Blend Points As ... - Saves the current set of blend points in a .tsb file. If present, blend points are also saved in a project file.
- Clear Blend Points – Clears the current set of blend points.
- Load Profile Points – Loads blend profile (.tsp file). Like several of the Files Menu functions, this item is associated with a listbox holding recently-used files.
- Save Profile Points As ... - - Saves the current blend profile in a .tsp file. If present, the blend profile is also saved in a project file.
- Clear Profile Points - Clears the current blend profile.

Options Menu

The Options menu contains the following items:

- Display Formats/Units – opens a second dialog from which you select lat/lon display format and distance and elevation units
- Use FS9 Attributes – When checked, inputs and terrain selections will be interpreted in the context of FS9. Otherwise the FSX/P3D context is applicable.
- Select Proximity (pixels) - the maximum distance between the mouse cursor “hot-spot” and the center of a displayed node or the user aircraft symbol for selection of that node/symbol to occur.
- Mouse Breakout (pixels) – the minimum distance the mouse cursor must be moved before a node or the user aircraft symbol will be “dragged” from its position.
- Ignore Elevation Differences (units) <= – depending on prior processing, tiny deviations in, say, the elevation of flatten nodes which are intended to be identical, may have crept in. This entry will cause such deviations to be ignored, the elevation of all node of the flatten being set to their average.
- Size of BG Exclude Rect (.nm.) – The displayed size of the rectangle for excludes applied to elements displayed in the background.
- Auto-Consolidate – When importing data, the difference in lateral position and elevation less than which two points will be consolidated at an intermediate position/elevation.
- Load Last Project on Startup – When checked, the project/file being operated upon when Terrain Sculptor Pro was last shutdown will be loaded automatically on the next startup, at the zoom level in effect at shutdown.
- Suppress Confirmation Queries – By default, Terrain Sculptor Pro will seek your confirmation before performing an irreversible operation. These repeated queries could become annoying and may be suppressed by checking this item.
- Check for Updates at Startup - TS Pro can access its website server to determine if a new general release or development release is available. When either is checked, Terrain Sculptor Pro will attempt to find an updated version at startup. If that operation is suppressed and you click on this item, Terrain Sculptor Pro searches for an update immediately. You can also check for an update from the Help menu.

- Reposition Aircraft when Data Loaded – When checked, if FlightSim is running when a new data file is loaded, the user aircraft will be repositioned to the geographic center of the data.
- Show Tooltips – When checked, a tooltip is displayed whenever the mouse cursor hovers over a terrain element or the user aircraft symbol displaying positional and other information.
- Enable Hot-Cursor – Please see the description of “hot-cursor” below in the discussion of the context menu
- Default Flatten Terrain Type – Permits selection of a default terrain type which is automatically assigned to all newly-entered flatten nodes.

Creating/Editing Data

By design, a menu item is not enabled unless it can be used in the current context. If a control you want to use is not enabled, all required prerequisite data has not been entered or a necessary selection has not been made.

To start, either load a project, import a .bgl or .sbx file, or select the type of data you wish to enter from the Mode menu and then right-click on the display and select a Start option from the context menu. (See “Starting from Scratch”, later.)

Most operations on individual nodes are initiated from a context menu activated by a mouse right-click while in the data display area. Generally, if a specific node is to be affected, e.g., to be moved to the aircraft position, right-click on that node or the line leading to it. If, instead, a node is to be used as a reference, e.g., to place another node of the same type in the same element, select the node (if one is not already selected) as described in the following paragraph, move the cursor to where the new node is to be placed and then right-click. A list of possible actions is displayed (the “context menu”).

To select a node, place the cursor over the node of interest or over the connecting line leading to it (or within the number of pixels you specify with the Options / Select Proximity – pixels function). The node will change colour to orange. Then, left-click the mouse; the node turns red, indicating it is selected). You may select multiple nodes using the Ctrl and Shift keys in the usual manner or by placing the cursor away from any node - which will become one corner of a *select-box*, depressing the left mouse button and, with that button remaining depressed, moving the mouse to the diametrically opposite corner of the select box. As you move the mouse, “captured” nodes will be selected and turn red.

When you select a node, the Terrain Type combo box will display the type of terrain currently assigned to that node and its associated nodes. (All nodes comprising a flatten or hole are of the same type). If you wish to change the type of that node and its associates, click on the combo box and select the new type from its dropdown list. (To avoid unintentional operations, Terrain Sculptor Pro will seek your confirmation before making the change.)

While most node operations are initiated from the context menu, you may optionally use a *hot-cursor* to add *contour*, *blend* and *sculpt* nodes with a simple left-click – thus reducing the number of mouse-clicks by half. *Hot-cursor* is enabled by the Hot Cursor checkbox in the Options menu. (“Hot-cursor” is a term I coined from old aviator war movies when weapons which are enabled are “hot”) The feature is automatically invoked (when enabled) whenever the Add/Replace Node context menu function is used with a *contour* or *blend* node selected. It is

terminated by a mouse right-click. The Add/Replace Node context menu item is suffixed with “(Hot Cursor)” whenever *hot-cursor* is enabled.


The functions activated from the context menu follow, several of which may be enabled/disabled depending on which, if any, nodes are selected and whether or not FlightSim is active:

<u>Enabled (when nodes selected)</u>			<u>Function</u>
0	1	>1	
x	x	x	<u>Start</u> – Click this item to create a new element. A sub-menu is displayed from which you select the type of element start at the cursor position. You are then taken to the List/Node Editor to specify the remaining parameters. Once you close the editor a node will appear in the display area and you may specify additional nodes using the “hot cursor”.
	x	x	<u>Add New <i>type</i> Node at Cursor</u> – the new node will be entered into the currently selected element immediately counter-clockwise of the current-selected node in that element. The menu item text will be suffixed with “(Hot cursor)” should that latter option be selected.
	x		<u>Add New <i>type</i> Node at A/C</u> – Similar to Add New <i>type</i> Node at Cursor (“Hot-cursor” is not relevant)
x	x		<u>Move Node to A/C</u> – Move selected node to the position of the user aircraft.
x			<u>Select Elements by Name</u> – A listbox displaying the names of all the visible elements is displayed. Select the element of interest.
	x	x	<u>Select Peer Nodes</u> – Selects all nodes of the same category as the selected node.
x	x		<u>Edit Node</u> – A small dialog that allows redefinition of all aspects of the selected node or list.
	x	x	<u>Convert Selected Nodes to Sculpt</u> – As the name suggests; selected sculpt nodes are ignored
		x	<u>Consolidate Selected Nodes</u> – Creates a new single node at an intermediate position. If one or more <i>sculpt</i> nodes are selected along with a <i>blend</i> , <i>contour</i> or <i>hole</i> node, the <i>sculpt</i> node(s) is/are simply deleted.
	x	x	<u>Delete Selected Nodes</u> – The selected nodes are deleted.
	x		<u>Add Background Element to Project</u> – The highlighted background item is added to the project and a small exclusion rectangle inserted.
	x		<u>Exclude Background Element</u> – Inserts an exclude rectangle for the highlighted background item.
x	x	x	<u>A/C to Cursor</u> – Move user aircraft to the cursor position
	x		<u>A/C to Selected Node</u> – move user aircraft to the selected node

<u>Enabled (when nodes selected)</u>			<u>Function</u>
0	1	>1	
x	x	x	<u>Recenter Display On ...</u> - displays a sub-menu from which you can select from Project (all project data is considered in establishing the new center), Cursor or User Aircraft.
x	x	x	<u>Resequence Data ...</u> - displays a sub-menu from which you can move the currently-selected element up or down in or to the top or bottom of the sequence in which the elements are displayed.
x	x	x	<u>Change Color</u> – Displays the Change Color dialog (below) which permits you to change the color in which each element is displayed and/or the opacity of the fill-color of polys.

You may also delete nodes by selecting the nodes and depressing the keyboard Del key.

A node may be *dragged* to a new position by selecting it and, with the left mouse button still depressed, moving the cursor to the desired new position. To avoid inadvertent moves, a node will not move until the cursor has been moved more that the *breakout* distance. That distance is set using the Mouse Breakout (pixels) function under the Options menu. If you want to move a node less than the breakout distance, move the cursor at least the breakout distance – at which point the node will jump to the cursor – and then move the cursor back to the desired position.



Change Color Dialog

All nodes to form a polygon must be entered in counter-clockwise order – no matter the technique is used to enter them. When inserting a new node into an existing outline, ensure the node selected prior to right-clicking is the one that will become the immediate clockwise neighbour of the new node. (To facilitate inserting of nodes, when the mouse is hovering over any node, the next line counter-clockwise, i.e., into which the node will be inserted, is

highlighted.) The new node will be automatically selected in preparation for the entry of the next new node. You can also verify that outline nodes are in the correct order from the tooltip which should show an increasing index number as nodes are examined in a counter-clockwise manner.

The nodes of lines also must be entered sequentially. The first node entered is displayed brighter than its successors to later identify it as the starting point. Similar to entering nodes in polygons, to enter a new node in a line, select the node immediately previous to the position into which you want to insert the new node. To enter a new node before the start node, move the start node to where you want the new start of the line to be and insert the new node at the position of the previous start.

When you start a contour that is to contain nodes with differing elevations, you are given the option of placing all nodes without elevation data – which is sometimes more convenient than interrupting placement to enter elevation. Of course, you'll then need to edit each node individually.

Sculpt nodes, which define terrain elevation at a specific point, may be placed wherever you want and in any order/configuration you like. The only restriction is that all *sculpt* nodes must lie within the *blend* outline and should not be placed in a *flattened* area unless they lie within a *hole*. Terrain Sculptor Pro will not stop you from placing nodes in “restricted areas”, but will warn you of such situations and highlight the offending node before compiling your data. If you elect not to correct the situation before compiling, you may find a few “unsculpted” areas in the result. These areas will be obvious once you've triangulated the data (see below).

For flattens, you may specify different terrain poly types among your nodes. (This parameter will be ignored when outputting for FS9 which supports only a single flatten poly type.) During triangulation, the terrain type used for a triangle will be the one specified for at least two of its nodes. If all three nodes differ, any one of them may “rule”. Nodes adopt the terrain type displayed in the Terrain Type combobox at the time the node is created. To change that terrain type, select the nodes to be changed and then choose the new type in the Terrain Type combobox. If the desired new type is already displayed in the combobox, select any other type, respond “No” to the challenge and then re-select the desired new type. You can also change the terrain type assigned to a sculpt node using the Node edit feature described below.

Two features under the Nodes menu may be of assistance in locating problem slopes:

- Check Elevation Differences, and
- Locate Elevation Differences

The first will list the position of all situations where the elevation change between two points within the Options/Auto-Consolidate Lateral distance exceeds the Auto-Consolidate Elevation limit. The second allows you to select the corresponding node on the Main Panel by clicking on any item in that list.

Editing List Parameters and Individual Nodes – You may edit any of the parameters of a list or of an individual node except type. Right-click on the node or line of interest (or select it and right-click in an empty area) and choose Edit Node. A small dialog as shown below is opened.

You may also assign a new terrain type to individual nodes or, in the case of lines, to all nodes in the list, by selecting the node(s) of interest and then selecting the new terrain in the Terrain combobox.

Illustrated below is the Edit Node dialog for a road. It contains a feature not available for other elements, that is, the No Lights or Autogen checkbox. All stock roads in Flightsim have simulated vehicle lights at night and, in the case of FSX and P3D, sometimes autogen signs and telephone/power poles alongside. This is generally not suitable for service roads within the airport perimeter.

Edit Node Dialog

Checking the No Lights or Autogen checkbox results in the creation of a custom version of the selected terrain with that night lighting and any autogen is suppressed.. The name of the new terrain will be the old terrain name suffixed with “ – No Lights or Autogen”. Once such a custom terrain has been created, it may be assigned to other roads either by selecting the custom name from the Terrain combobox or by checking the No Lights or Autogen checkbox.

That box is automatically checked when a road using a custom terrain is opened in the editor. To revert to the original stock terrain assignment, simply uncheck No Lights or Autogen.

Otherwise, edit as required and Save (or not). Upon closing the Node Editor following creation of a new custom terrain you will be reminded to update the Flightsim terrain.cfg file(s) - see Update Terrain.cfg File(s) under the Files menu.

Data File Operations


The following text describes the creation/editing of sculpted flattens. It is, however, directly applicable to the creation/editing of other types of data – with the exception, of course, of references to sculpt nodes.

Project Data - If you’ve already saved data in Terrain Sculptor Pro, reload that data (“.tsd” file extension) using the Projects/Files menu Open Project function. The last up-to-10 projects loaded will be displayed when the mouse enters the menu item. Either select from that list or click on the menu item to otherwise specify the file. You may also append data from another .tsd file to the open currently loaded.

Importing Data - If you have already created a terrain file for your airport, start by importing that data into Terrain Sculptor Pro. As for Projects/Open Projects (above), the last up-to-10 imports

of the selected type loaded will be displayed when the mouse enters the Open item. Either select from that list or click on the menu item to otherwise specify the file. You may import:

- previously-compiled .bgl files (for FSX/P3D, using the XML output of Patrick Germain's integrated CVX Extractor); you will have the option of loading all the data in the file or only a portion by defining a bounding box; due to precision constraints on CVX Extractor's inputs, you may get data covering a larger (but still manageable) area than specified in the bounding box.
- FS9 .bgl files, you'll probably want to import both the LWM2 and LWM3 files if both exist, appending one to the other; and
- sBuilder/sBuilderX .sbx files (if the file does not exist in .sbx format, open your existing flatten file in sBuilder or sBuilderX, as applicable, and export it in SBX format),




Data Import Dialog

Select the source of choice. For .sbx files, you will be presented with a small dialog similar to the following. The most recently imported file will be shown in the Path textbox.

Click Import File. The data will be displayed as illustrated above. The contours and any *holes* will be outlined. Unless the imported data includes a blend poly, all the remaining nodes will be *sculpts*. You will add/adjust the *blend outline* later.

Imported data will not include sculpt nodes. So, it will probably be more convenient to display imported data in the Fill Polygon mode, selectable from the View menu – as illustrated above.

Following import of the file, Terrain Sculptor Pro will list any situation where two or more nodes lie within the Lateral Distance limit of each other have elevation differences greater than the Elevation Difference specification. For convenience, you may print this list. Such situations do not necessarily imply an error but, if allowed to remain, will generate steep terrain (which may be intentional). The same check may be performed on the data at any time using the Check Elevation Differences function in the Nodes menu.



Imported Data

Starting “from Scratch” - If you are starting “from scratch” and the display is not blank, clear it with the Files menu New function – or close and restart Terrain Sculptor Pro. If FlightSim is running, the display will be centered on the user aircraft.

First, in the Mode menu, select the type of element to be created. Then, in the terrain Type combobox, select the specific terrain type to be used. Next, move the mouse to the approximate location of some point in the initial element, right-click, click “Start ...” in the context menu, select the type of element to be created and enter it’s elevation if it is to be flat, i.e., all nodes at the same elevation. You’ll be asked to name the element (it can be anything) or accept a default name, following which a red node will appear at the cursor location. If *hot-cursor* is enabled, simply, move the mouse to another location on the display and left-click. The original node will change to the currently-specified color for that type of node and a new red node will appear at the cursor with a dash-dot line linking it to the original node. And, so on, moving in a **counter-clockwise** direction. Alternately, if *hot-cursor* is not enabled, right-click instead of left-clicking and select Add New ... Node at Cursor Position from the context menu. In either case, it is essential that the previously-entered node be selected prior to the mouse click.

If you plan to use the user aircraft to accurately place element nodes, just enter three nodes for polys or two for a line. Then, in FlightSim and select top-down view. Slew the user aircraft to where you want the first point of your contour. Right-click over one of the nodes you entered earlier (or select it and right-click in an empty area) and select Move Node to A/C. Repeat for the other node(s), remembering the counter-clockwise “rule” for polys. Now, starting at one of

the existing nodes (which must be selected), slew the user aircraft to a location counter-clockwise of that node where you want another *contour* node, right-click and select Add Node at AC. Repeat, until you complete the outline to the second of the initial three flattens. Repeat until your contour is complete.

Adding Sculpts – *Sculpt* nodes are added/moved like any other node. However, since *sculpt* nodes are not ordered, the counter-clockwise “rule” doesn’t apply. To add a *sculpt* node, move the cursor to where you want the node, right click, select Add Sculpt Node at Cursor location or Add Node at AC, as applicable, and enter the elevation of the point when the elevation entry dialog appears. If it is the first sculpt node at any level, as for a new flatten you will be asked to name the collection or accept a default name and hot-cursor will be invoked if enabled.

You may also convert one or more *blend* and/or *contour* nodes to *sculpt*s by selecting the nodes to be converted, right-clicking on one of them and selecting Convert Selected Nodes to Sculpt from the context menu. Any selected *sculpt* nodes are ignored, so the “rubber band” selection method may be convenient.

Creating a Hole – While the runways, taxiways and aprons of Flightsim airports must be flat and level, there’s no need for the entire local area to be flat and level. Few real-life airports are. You can add terrain features to your flatten, or insert a small area of alternate terrain by cutting a “hole” in a poly and filling it with whatever features you want. Position the cursor inside an enclosed contour where an edge of the hole is to be, right click and select Start ... a Hole from the context menu. The usual naming process will occur and then a *hole* node appears. Then, with that hole node still selected, move the cursor to the next position where you want a *hole* node and left click or right-click and select Add a Hole Node at the Cursor. Continue to add hole nodes (counter-clockwise) as for any other outline. The hole must be totally contained within the contour.

Once the *hole* outline is complete, add *sculpt* nodes inside the hole or place an area of alternate terrain.

Entering the Blend Outline – The *blend* outline is a series of points where you want Terrain Sculptor Pro to calculate node elevations that match the mesh elevation and, thus, create a smooth transition between your sculpted terrain and the surrounding mesh.

If you’ve imported data incorporating sloping polys but that did not incorporate a blend outline, chances are you’ll want to place some of your *blend* nodes where you currently have a *sculpt* nodes. But, you’ll likely want to add additional nodes as well. If you are starting from scratch, you’ll be entering all the *blend* nodes anew. As a suggestion, place your *blend* nodes at the top or bottom of significant changes in slope of the surrounding terrain.

Your *blend* outline initially should be simply defined with the boundary placed in locations where minor discontinuities are unlikely to be noticed. If the initial definition of the blend area does not produce satisfactory results, it’s easy to change. To “fine-tune” your *blend* nodes you may find it useful to slew the user aircraft using the ground elevation reported near the slew controls to locate more suitable locations. (Terrain Sculptor Pro reports ground elevation under the user aircraft at the upper right side of the Main Panel.


Whether starting from scratch or with imported data, position the cursor in the vicinity of where you want the first blend node, right-click and select Start the Blend Poly. As with new *contours*, a new node will appear at the cursor location. (You don’t name *blend* outlines since there can only be one and it is named “Blend Outline” by default.) Then, if hot-cursor is enabled, position

the cursor where you want the next node (counter-clockwise) and left-click. Otherwise, with the initial (or any other) *blend* node selected, right-click and select Add new blend node at cursor from the context menu. Continue with the cursor at each successive counter-clockwise position for a blend node. If a *sculpt* node already lies at that position, place the cursor over the *sculpt* node (it will turn orange) and then left click. The *sculpt* node will be replaced by a *blend* node.

If you haven't already done so, save your data, using the Save or Save As items under the Files menu. Give the file a distinctive name. It will be saved with a ".tsd" file extension.

Creating the Blend Profile – Now, the magic!. Start Flightsim if necessary and click Profile Blend Outline in the Nodes menu. The dialog below will appear.

You may specify the distance between elevation sampling points (the smaller the number, the more *profile* nodes likely to be generated – and the longer the process will take) and the change in slope grade (%) at which you want a node automatically placed or accept the default values. (The "grade" at any point is the vertical distance the terrain rises or falls over the horizontal sampling distance divided by the sampling distance.) You'll have to experiment to see what works best for the surrounding mesh.



Profile Blends Outline Dialog

When you click Profile Blends, the user aircraft will be slewed to *blend* node 0 and will trace the *blend* outline, placing additional *profile* nodes at significant (as you specified) changes in slope.


The *profile* is drawn progressively as the user aircraft moves. The "pink" dots along the blend outline are the *profile* nodes. Those not on top of brown *blend* nodes have been added by Terrain Sculptor Pro to address undulations in the mesh. The *profile* shown below is for test purposes. Normally, you'd have far fewer *blend* nodes and more system-placed *profile* nodes.)

Before making the *profile*, ensure:

- you have disabled any existing flatten files for your airport – unless you are sure none of your *blend* nodes fall on those flattens
- the version of Flightsim running is the one with which the new flatten to be used, and
- any add-on meshes are configured as you intend for your sculpted terrain.

FS9 and FSX/P3D stock meshes are quite different and there's little point in recording a profile that doesn't reflect the mesh configuration with which your new flatten is to be used. You will want to create a *profile* for each FlightSim version/mesh configuration with which the new terrain is to be used.

When the trace completes, if it's satisfactory, save the *profile* with a distinct name. Profiles are saved with a ".tsp" file extension.



Main Panel with Blend Profile Shown

The Next-to-Final Step – The next-to-final step in creating a sculpted flatten is triangulation of the sloping areas. This section does not apply to other types of data. While certainly the most complex aspect of Terrain Sculptor Pro internally, all you need do is click on the Triangulate item in the Nodes menu. If a blend *profile* is not already loaded, you will be asked to specify one. The result is as shown below.

While you won't see it, Terrain Sculptor Pro draws a line between every pair of nodes that can be connected without crossing the contours. Next, the longer of every pair of those lines that cross is eliminated. Finally, the sculpted terrain is triangulated using the remaining (shortest) lines that connect each pair of points. The result is as shown below. While it would be possible to manually configure the triangles differently, in other than special situations, the smallest triangles are likely to produce the best overall result.


Because Terrain Sculptor Pro uses the shortest possible lines to create its triangles, the end result may not be exactly as you would have done manually. One potentially troublesome result is when a line passes very close to another node, creating a slope steeper than intended. This is easily resolved by shifting the node slightly to the other side of the line and triangulate again.

Liberal use of contours (which prevent sculpt nodes on either side being connected to each other) can make re-creation of difficult terrain a simple task. Don't be afraid to experiment. If you don't like the result, change it and re-triangulate.

Triangulation is VERY processing intensive. You may need to pause or close Flight Simulator before starting triangulation.

The triangulated data is not saved since it can be regenerated so quickly.

Following triangulation, depending on the shape of your flatten(s) and the location and number of profile nodes, you may find one or more areas that are not included in the triangulated data. (The area covered by triangulated data will be shaded. Un-triangulated areas will not be shaded). This is a result of TS Pro being unable to draw a triangle between nearby the nodes involved without one or more edges of that triangle intersecting the boundary of a flatten. Should this be the case, clear the profile, add an additional blend node to avoid the problem and re-triangulate. (This sounds more complicated than it really is; the location of the needed blend node should be obvious once you see the problem.) To avoid having to regenerate the profile, , if you know the elevation of the terrain at that location, you could place an additional profile node instead and simply re-triangulate.



Data Triangulated

There are two potentially-confusing situations that may develop during triangulation resulting in one or more triangles not being shaded:

- **any triangle whose nodes are all at the same (or very close to the same) elevation is considered to be a closed, flat contour – even if you don’t designate the area as such. These areas are not shaded – but will be rendered as specified.**
- **when a node lies on or VERY close to a line between two other nodes, it may not be triangulated; this situation can be rectified by moving the problem node slightly away from the line.**

Outputting your Terrain – Export your terrain to FlightSim, using the applicable export function from the Files menu. Fire-up Flightsim and have a look.

Should you need to “fine tune” things, tweak the loaded data, re-triangulate if necessary and recompile. For flattens, there’s no need to regenerate the *profile* using FlightSim unless you change the *blend* outline. And, even then, minor changes to the *profile* can easily be

implemented by editing/shifting *profile* nodes and re-saving the *profile* prior to another triangulation.

Finally, be aware that, from observation, FS9 may not render some steep slopes you create as well as does FSX or P3D – particularly when the slope ends at a flat enclosed contour (or flatten). Such a steep slope often results in an unintended valley at the bottom of the slope and/or an unintended ridge at the top. If this is a problem for you, you may be able to work around it by selecting all nodes in the contour/flatten and converting them to sculpts. Otherwise, you may have no alternative but to reduce the slope.

When working with FS9, be aware that you cannot exclude FS9 flattens. Therefore, unless you want certain portions of the stock flatten to remain in effect, your new flatten must completely cover the stock flatten. For FSX and P3D, you can (and should) exclude the stock flatten in the usual way, i.e. by creating an “exclude all flattens entry” when you create your new airport poly. Once you exclude the old flatten(s), you can make your new flatten any size you wish.


Background Display

One of the most useful features of Terrain Sculptor Pro is its ability to display background images. The background data may be either a .sbx tile or a terrain .bgl file. (Future releases may support aerial, satellite photos as background.) You may also include an airport image in your background data.

Background displays, such as shown below, are essential for the accurate placement of excludes for, for example, individual roads or other “corrections” to stock or other underlying data. When photo-terrain is implemented, the placement of line-based features will become “a piece of cake”.

A word of caution. Stock data files generally are large, covering a much larger area than one in which you are likely to be interested. Consequently, the display of stock data files may have a noticeable effect on the update of the display. So, as noted above re importing of CVX files, you will have the option of limiting the amount of data imported using a bounding box.

Background data is always displayed using a medium grey color and only in line mode. To assist you in excluding information shown in the background display, the usual tooltips are displayed.



Main Panel with Background Display

Acknowledgements

Thanks in particular to:

- Winfried Orthmann for xml2shp and the grant of a free license to incorporate it in Terrain Sculptor Pro,
- Patrick Germain for allowing me to incorporate his CVX Extractor utility in Terrain Sculptor Pro,
- Luis Sa for sBuilder, the compiled output of which I referred to extensively while developing the LWM compiler for Terrain Sculptor Pro, and
- Richard Ludowise (rhumbaflappy) who, it seems, was the first to discover that LWM3 polys require a different file header from LWM2 – an omission from the FS9 Terrain SDK that caused me a great deal of grief.
- Jim Kier for LWMViewer which was of immeasurable help in troubleshooting my new FS9 compiler and decompiler.
- Jay Bloomfield and Juha Holopainen for their invaluable assistance in testing early releases of TS Pro.

Support

Terrain Sculptor Pro's support forum is at <http://www.fsdeveloper.com/forum/forums/terrain-sculptor.146>. Please direct your queries and suggestions there.

I also have a support website at <http://stuff4fs.com> for all my airports and development utilities. (Navigate to the User Applications / Terrain Sculptor Pro page.) Among other things, the site

lists all known problems with the latest release. The most recent release of Terrain Sculptor Pro is available from that site as are occasional development releases of new features.

Don Grovestine
don@stuff4fs.com
<http://stuff4fs.com>

End User License Agreement (EULA)

As used in this end user license agreement, the term "Terrain Sculptor Pro" shall be construed as encompassing the full contents of the downloadable archive (.zip) file containing, without limitation: the executable file " Terrain Sculptor Pro.exe", the user manual, and/or certain third party content originally created and posted for distribution on "download sites" by the author, and any derivatives thereof.

You are granted a free, non-exclusive right solely to install and use Terrain Sculptor Pro on your computer system(s) for your personal enjoyment to create sculpted terrain data for use with Microsoft Flight Simulator® and Lockheed Martin's Prepar3D®, and to distribute such sculpted terrain data in association with your own work product intended for use with Flight Simulator or Prepar3D.

You may not:

- upload Terrain Sculptor Pro, whether or not modified, in whole or in part, to any file distribution system,
- reverse engineer, disassemble or decompile any part of Terrain Sculptor Pro,
- incorporate Terrain Sculptor Pro in whole or in part into any commercial product or facility, "shareware" or "freeware", or any other product or facility for which there is a charge of any kind, or
- use Terrain Sculptor Pro in the development, marketing or support of, or incorporate derivative files in, any commercial product

without the express written permission of the author.

Your use of Terrain Sculptor Pro is entirely at your own risk. The author accepts no liability whatsoever for any damage arising from its use no matter how caused.

By downloading and installing this software, you are deemed to have agreed to the foregoing.

Terrain Sculptor Pro © 2018-2021 - Don Grovestine